


AMENDMENTS TO THE CLAIMS

1. (Original) A fungicidal mixture, comprising, as active components,


A) the triazolopyrimidine derivative of the formula I



and

B) an azole derivative or a salt or adduct thereof, selected from the group consisting of


(1) bromuconazole of the formula II



and


(2) difenoconazole of the formula III

Application No.: Not Yet Assigned




and

(3) diniconazole of the formula IV




and

(4) fenbuconazole of the formula V




and

(5) fluquinconazole of the formula VI




and

(6) flusilazole of the formula VII



and


(7) hexaconazole of the formula VIII



Application No.: Not Yet Assigned

and


(8) prochloraz of the formula IX



IX

and


(9) tetraconazole of the formula X



X

and

(10) triflumizole of the formula XI




XI

and

Application No.: Not Yet Assigned


(11) flutriafol of the formula XII



XII

and


(12) myclobutanil of the formula XIII



XIII

and

(13) penconazole of the formula XIV




XIV

and

Application No.: Not Yet Assigned


(14) simeconazole of the formula XV



XV

and


(15) ipconazole of the formula XVI



XVI

and

(16) triticonazole of the formula XVII




XVII

Application No.: Not Yet Assigned

and

(17) prothioconazole of the formula XVIII



XVIII

in a synergistically effective amount.

2. (Original) A fungicidal mixture as claimed in claim 1, wherein the azole derivative is selected from the group consisting of

- (1) bromuconazole,
- (3) dimiconazole,
- (4) fenbuconazole,
- (5) fluquinconazole,
- (6) flusilazole,
- (8) prochloraz,
- (9) tetraconazole,
- (10) triflumizole,
- (11) flutriafol,
- (12) myclobutanil,
- (13) penconazole,
- (14) simeconazole and
- (17) prothioconazole.

3. (Original) A fungicidal mixture as claimed in claim 1, wherein the azole derivative is selected from the group consisting of

- (2) difenoconazole,
- (7) hexaconazole,
- (15) ipconazole and
- (16) triticonazole.

4. (Original) A fungicidal mixture as claimed in claim 1, wherein the azole derivative is selected from the group consisting of
 - (13) penconazole,
 - (14) simeconazole,
 - (15) ipconazole,
 - (16) triticonazole and
 - (17) prothioconazole.
5. (Original) A fungicidal mixture as claimed in claim 1, wherein the azole derivative is selected from the group consisting of
 - (13) penconazole,
 - (14) simeconazole and
 - (17) prothioconazole.
6. (Currently amended) A fungicidal mixture as claimed in ~~any of claims 1 to 5, claim 1~~, wherein the weight ratio of the triazolopyrimidine of the formula I to the respective triazole of formulae II to XVIII is from 100:1 to 1:100.
7. (Currently amended) A fungicidal composition, comprising a fungicidal mixture as claimed in ~~any of claims 1 to 6~~ claim 1 and a solid or liquid carrier.
8. (Currently amended) A method for controlling rice-pathogenic harmful fungi, which comprises treating the harmful fungi, their habitat or the plants, seeds, soils, areas, materials or spaces to be kept free from them with the triazolopyrimidine of the formula I as set forth in claim 1 and azoles of the formulae II to XVIII as set forth in claim 1. ~~or a composition as claimed in claim 7.~~
9. (Original) A method for controlling phytopathogenic harmful fungi from the class of the Oomycetes, which comprises treating the harmful fungi, their habitat or the plants, seeds, soils, areas, materials or spaces to be kept free from them with the triazolopyrimidine of the formula I as set forth in claim 1 and azoles of the formulae II to XVIII as set forth in claim 1. ~~or a composition as claimed in claim 7.~~

10. (Currently amended) A method as claimed in claim 8 or 9, wherein the compound of the formula I as set forth in claim 1 and at least one compound of formulae II to XVIII as set forth in claim 1 are applied simultaneously, that is jointly or separately, or in succession.
11. (Currently amended) A method as claimed in ~~any of claims 8 to 10, claim 8,~~ wherein the fungicidal mixture or the compound of the formula I and at least one compound of formulae II to XVIII as set forth in claim 1 is/are applied in an amount of from 5 to 2000 g/ha.
12. (Currently amended) Seed, comprising the mixture as claimed in ~~any of claims 1 to 6~~ claim 1 in an amount of from 1 to 1000 g/100 kg.
13. (Original) The use of the compounds I and II to XVIII as set forth in claim 1 for preparing a fungicidal composition as claimed in claim 7.